

Yamaha Steinberg USB Driver V1.9.8 for Windows Release Notes

Contents

System Requirements for Software

Main Revisions and Enhancements

Legacy Updates

System Requirements for Software

NOTE

- Note that the system requirements may be slightly different from those described below depending on the particular operating system.
- Note that the operating system and interface may be different from those described below depending on the product. For details, refer to the particular operation manual and website for each product.

OS	Windows 7 SP1/Windows 8.1/Windows 10
CPU	Pentium/Athlon 2 GHz or faster (dual core processor recommended)
Memory	1 GB or more
Interface	Equipped with a USB 1.1 or 2.0 connector
Hard Disk	Free disk space of 100 MB or more; high-speed hard disk

Main Revisions and Enhancements

V1.9.6 to V1.9.8

- Solved some minor problems.
- Solved the following problems.
 - Audio loss may occur depending on the user environment.
 - Audio may distort after some period of time.

Legacy Updates

V1.9.5 to V1.9.6

- Solved some minor problems on the UR22mkII.
- Solved a problem in which the Yamaha Steinberg USB Driver would not work in certain cases

on the AUDIOGRAM/ MW/ MG/ IM series.

V1.9.4 to V1.9.5

- Now supports Windows 10.

V1.9.3 to V1.9.4

- Now supports Steinberg UR22mkII.

V1.9.2 to V1.9.3

- Now supports Yamaha THR100H/ THR100HD.

V1.9.0 to V1.9.2

- Now supports Yamaha AG Series.
- Solved some minor problems.

V1.8.6 to V1.9.0

- Now supports Yamaha A-S801.
- Solved some minor problems.

V1.8.4 to V1.8.6

- Now supports Yamaha AUDIOGRAM/ MW/ MG/ IM Series (USB-equipped model).

NOTE

If the Yamaha USB Audio Driver is already installed on your computer, be sure to uninstall it before installing Yamaha Steinberg USB Driver. There is a possibility that the Yamaha Steinberg USB Driver will not work properly if the Yamaha USB Audio Driver is installed on the same computer.

- Now supports Yamaha MOXF Series firmware V1.10.
- Solved some minor problems.

V1.8.3 to V1.8.4

- Now supports Yamaha MG Series (XU Models).

V1.8.1 to V1.8.3

- Now supports Windows 8.1.

- Solved some minor problems.

V1.8.0 to V1.8.1

- Now supports Yamaha MOXF6/8.
- Solved some minor problems.

V1.7.3 to V1.8.0

- Now supports Yamaha CD-S3000.
- ASIO Driver supports devices which use 32-bit sample format.
- Solved some minor problems.

V1.7.2 to V1.7.3

- Fixed a problem in which noise would occur during audio playback with the WDM.

V1.7.1 to V1.7.2

- Now supports Cubase 7.
- Solved some minor problems.

V1.6.5 to V1.7.1

- Now supports Steinberg UR22.

NOTE

Yamaha Steinberg USB Driver V1.7.1 is the version which is included in the TOOLS for UR22 CD-ROM (labeled "YE968B0") in the Steinberg UR22 package.

V1.6.4 to V1.6.5

- Solved some minor problems.

V1.6.3 to V1.6.4

- Now supports Yamaha MX49/61.
- Solved some minor problems.

V1.6.2 to V1.6.3

- Solved a problem in which the specified DAW software would not quit when switching the sample rate setting.
- Solved some other minor problems.

V1.6.1 to V1.6.2

- Improved the performance.

V1.6.0 to V1.6.1

- Solved a problem related to computers equipped with certain AMD brand CPUs, in which noise might occur in the audio input signal when using the device with such a computer.

V1.5.2 to V1.6.0

- Now supports Yamaha 01V96i.
- Solved the problem in which the audio input/output might stop when switching the sample rate in the Cubase project setup.
- Solved some other minor problems.

V1.5.1 to V1.5.2

- Solved some minor problems.

V1.5.0 to V1.5.1

- Now supports Steinberg UR824.
- Changed the default buffer size of the ASIO driver from 768 samples to 512 samples.
- Solved some minor problems.

NOTE

Yamaha Steinberg USB Driver V1.5.1 is the version which is included in the TOOLS for UR824 CD-ROM (labeled "YD307A0" or "YD307B0") in the Steinberg UR824 package.

V1.3.0 to V1.5.0

- Now supports Steinberg UR28M.
- Improved the user interface on the control panel of the driver. Tabs are displayed depending on the connected devices.
- Added selections of 64 samples and 96 samples to the buffer size setting of the ASIO driver.

NOTE

Yamaha Steinberg USB Driver V1.5.0 is the version which is included in the TOOLS for UR28M CD-ROM (labeled "YD304A0" or "YD304B0") in the Steinberg UR28M package.

V1.1.2 to V1.3.0

- Now supports Yamaha MOX6/8.
- Added the function which allows selection of the device using ASIO within the control panel of the Yamaha Steinberg USB Driver.
- Yamaha Steinberg USB Driver has been confirmed to work properly on Windows 7 SP1.
- Changed the system requirements to the following.
 - Windows XP Professional SP3, Windows XP Home Edition SP3, Windows Vista SP2, and Windows 7 SP0/SP1

For details, refer to the “System Requirements for Software.”

V1.1.1 to V1.1.2

- Improved the stability of Yamaha Steinberg USB Driver.

V1.1.0 to V1.1.1

- Improved the following problem.
 - When using a device compatible with Yamaha Steinberg USB Driver on a computer with an Intel® 5 series chipset, recorded audio data might be briefly interrupted.

V1.0.1 to V1.1.0

- Now supports Steinberg CI1 and Steinberg CI2+.

V1.0.0 to V1.0.1

- Yamaha Steinberg USB Driver has been confirmed to work properly on Windows 7.
- Solved a problem in which noise may occur in a certain environment.

Company and product names that appear in this document are the trademarks or registered trademarks of their respective companies.

(C) 2010-2016 Yamaha Corporation All Rights Reserved.

Yamaha Steinberg USB Driver V1.9.8 for Windows リリースノート

目次

ソフトウェアの動作環境

主なアップデートの内容

過去のアップデートの内容

ソフトウェアの動作環境

NOTE

- お使いの OS によっては、下記の仕様以上の条件を満たす必要があります。
- お使いの製品によっては、対応 OS やインターフェースなどが異なる場合があります。詳しくは各製品の説明書、Web ページなどをご参照ください。

OS	Windows 7 SP1/Windows 8.1/Windows 10
CPU	Pentium/Athlon 2 GHz 以上(Dual Core プロセッサ推奨)
メモリー	1 GB 以上
インターフェース	USB 1.1 または USB 2.0 端子を搭載していること
ハードディスク	100 MB 以上の空き容量、高速なハードディスク

主なアップデートの内容

V1.9.6 → V1.9.8

- 軽微な不具合を修正しました。
- 以下の問題への対策を行ないました。
 - ・お使いの環境によっては、音が途切れることがある
 - ・ある一定時間を経過すると音が歪むことがある

過去のアップデートの内容

V1.9.5 → V1.9.6

- UR22mkII での軽微な不具合を修正しました。
- AUDIOGRAM/ MW/ MG/ IM シリーズで動作しない場合がある問題を修正しました。

V1.9.4 → V1.9.5

- Windows 10 に対応しました。

V1.9.3 → V1.9.4

- Steinberg UR22mkII に対応しました。

V1.9.2 → V1.9.3

- Yamaha THR100H/ THR100HD に対応しました。

V1.9.0 → V1.9.2

- Yamaha AG シリーズに対応しました。
- 軽微な不具合を修正しました。

V1.8.6 → V1.9.0

- Yamaha A-S801 に対応しました。
- 軽微な不具合を修正しました。

V1.8.4 → V1.8.6

- Yamaha AUDIOGRAM/ MW/ MG/ IM シリーズの USB 搭載モデルに対応しました。

NOTE

Yamaha USB Audio Driver がコンピューターにインストールされている場合は、アンインストールしてから Yamaha Steinberg USB Driver をインストールしてください。同時にインストールされている場合、Yamaha Steinberg USB Driver が使用できない場合があります。

- Yamaha MOXF シリーズ ファームウェア V1.10 に対応しました。
- 軽微な不具合を修正しました。

V1.8.3 → V1.8.4

- Yamaha MG シリーズ(XU モデル)に対応しました。

V1.8.1 → V1.8.3

- Windows 8.1 に対応しました。
- 軽微な不具合を修正しました。

V1.8.0 → V1.8.1

- Yamaha MOXF6/8 に対応しました。

- 軽微な不具合を修正しました。

V1.7.3 → V1.8.0

- Yamaha CD-S3000 に対応しました。
- ASIO ドライバーが、32bit のサンプルフォーマットを使用する機器に対応しました。
- 軽微な不具合を修正しました。

V1.7.2 → V1.7.3

- WDM ドライバーを利用してオーディオを再生した場合、ノイズが発生することがある問題を修正しました。

V1.7.1 → V1.7.2

- Cubase 7 に対応しました。
- 軽微な不具合を修正しました。

V1.6.5 → V1.7.1

- Steinberg UR22 に対応しました。

NOTE

Yamaha Steinberg USB Driver V1.7.1 は、Steinberg UR22 に同梱の TOOLS for UR22 CD-ROM (盤面に「YE968B0」と記載されているもの)に収録されているバージョンです。

V1.6.4 → V1.6.5

- 軽微な不具合を修正しました。

V1.6.3 → V1.6.4

- Yamaha MX49/61 に対応しました。
- 軽微な不具合を修正しました。

V1.6.2 → V1.6.3

- 特定の DAW ソフトウェアで使用している場合、サンプリング周波数などの設定を変更したときに DAW ソフトウェアが終了できなくなる問題を修正しました。
- その他の軽微な不具合を修正しました。

V1.6.1 → V1.6.2

- パフォーマンスを改善しました。

V1.6.0 → V1.6.1

- AMD 社製の一部の CPU を搭載したコンピューターで使用したときに、オーディオの入力にノイズが発生することがある問題を修正しました。

V1.5.2 → V1.6.0

- Yamaha 01V96i に対応しました。
- Cubase のプロジェクト設定でサンプリング周波数を切り替えると、オーディオ入出力が止まることがある問題を修正しました。
- その他の軽微な不具合を修正しました。

V1.5.1 → V1.5.2

- 軽微な不具合を修正しました。

V1.5.0 → V1.5.1

- Steinberg UR824 に対応しました。
- ASIO ドライバーのバッファサイズの初期値を、768 サンプルから 512 サンプルに変更しました。
- 軽微な不具合を修正しました。

NOTE

Yamaha Steinberg USB Driver V1.5.1 は、Steinberg UR824 に同梱の TOOLS for UR824 CD-ROM(盤面に「YD307A0」または「YD307B0」と記載されているもの)に収録されているバージョンです。

V1.3.0 → V1.5.0

- Steinberg UR28M に対応しました。
- ドライバーのコントロールパネルのユーザーインターフェースを変更しました。接続した機器ごとにタブが表示されます。
- ASIO ドライバーのバッファサイズの設定値に、64 サンプルと 96 サンプルを追加しました。

NOTE

Yamaha Steinberg USB Driver V1.5.0 は、Steinberg UR28M に同梱の TOOLS for UR28M CD-ROM(盤面に「YD304A0」または「YD304B0」と記載されているもの)に収録されているバージョンです。

V1.1.2 → V1.3.0

- Yamaha MOX6/8 に対応しました。
- Yamaha Steinberg USB Driver のコントロールパネルに、ASIO で使用する機器を選択する機能を

追加しました。

- Yamaha Steinberg USB Driver が Windows 7 SP1 で動作することを確認しました。
 - 動作環境を変更しました。以下の環境が必要です。
 - ・ Windows XP Professional SP3、Windows XP Home Edition SP3、Windows Vista SP2、または Windows 7 SP なし/SP1
- 詳細は、「ソフトウェアの動作環境」をご参照ください。

V1.1.1 → V1.1.2

- Yamaha Steinberg USB Driver のパフォーマンスを改善しました。

V1.1.0 → V1.1.1

- 以下の問題に対処しました。
 - ・ インテル® 5 シリーズチップセットを搭載したコンピューターで Yamaha Steinberg USB Driver 対応機器を使用したときに、録音したオーディオデータの一部分が一瞬無音になる場合がある

V1.0.1 → V1.1.0

- Steinberg CI1 および Steinberg CI2+に対応しました。

V1.0.0 → V1.0.1

- Yamaha Steinberg USB Driver が Windows 7 で動作することを確認しました。
- 特定の環境でノイズが発生する場合がある問題を修正しました。

本文に掲載されている会社名および商品名等は、各社の登録商標または商標です。

(C) 2010-2016 Yamaha Corporation All Rights Reserved.